

### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 07/11/2016

Revision: 07/11/2016

1 Identification	
· Product identifier	
<ul> <li>Trade name: Flintlastic® FR Cap 30 T Flintlastic® FR Cap 30 T Coolstar</li> <li>Product code: CT 10123-2</li> </ul>	
<ul> <li>Recommended use and restriction on use</li> <li>Recommended use: Asphalt rolled roofing</li> <li>Restrictions on use: Contact manufacturer</li> </ul>	
<ul> <li>Details of the supplier of the Safety Data Sheet</li> <li>Manufacturer/Supplier: CertainTeed Corporation</li> <li>20 Moores Road</li> <li>Malvern, PA 19355</li> <li>610-893-6000</li> </ul>	
• Emergency telephone number: CHEMTREC 1-800-424-9300 (US/Canada) +01 703-527-3887 (International)	
2 Hazard(s) identification	
Classification of the substance or mixture The product is not classified as hazardous according to the Globally Harmonized System (GHS).	

<sup>•</sup> Label elements

· GHS label elements Not regulated.

· Hazard pictograms: Not regulated.

· Signal word: Not regulated.

· Hazard statements: Not regulated.

· Precautionary statements: Not regulated.

• Other hazards There are no other hazards not otherwise classified that have been identified.

### 3 Composition/information on ingredients

### · Chemical characterization: Mixtures

· Coi	mponent	is:		
148	808-60-7	Quartz (SiO2)	🚸 Carc. 1A, H350; STOT RE 1, H372	20-50%
80	)52-42-4	Asphalt	🚸 Carc. 2, H351	20-50%
216	645-51-2	aluminium hydroxide		<20%

### · Additional information:

Non-classification as a carcinogen is based on non-respirable form of product.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

(Cont'd. on page 2)

### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 07/11/2016

Revision: 07/11/2016

Trade name: Flintlastic® FR Cap 30 T Flintlastic® FR Cap 30 T Coolstar

(Cont'd. of page 1)

### 4 First-aid measures

### <sup>•</sup> Description of first aid measures

### After inhalation:

Respiration of particulates is unlikely during normal usage.

Supply fresh air; consult doctor in case of complaints.

### After skin contact:

Brush off loose particles from skin.

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

### · After eye contact:

Unlikely route of exposure.

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

### After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- Most important symptoms and effects, both acute and delayed: No relevant information available.
- Indication of any immediate medical attention and special treatment needed:
- No relevant information available.

### 5 Fire-fighting measures

### · Extinguishing media

• Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

• For safety reasons unsuitable extinguishing agents: None.

### • Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

### <sup>•</sup> Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

### 6 Accidental release measures

 $^{\cdot}$  Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Environmental precautions: Avoid release to the environment.

### <sup>•</sup> Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

• Reference to other sections:

See Section 7 for information on safe handling.

(Cont'd. on page 3)

### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 07/11/2016

Trade name: Flintlastic® FR Cap 30 T Flintlastic® FR Cap 30 T Coolstar

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### 7 Handling and storage

### <sup>·</sup> Handling

• Precautions for safe handling: Use only in well ventilated areas.

- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities
- · Storage

• Requirements to be met by storerooms and receptacles:

Storage area should be dry and well-ventilated.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Specific end use(s): No relevant information available.

### 8 Exposure controls/personal protection

Components w	ith limit values that require monitoring at the workplace:	
14808-60-7 qua	rtz	
PEL (USA)	see Quartz listing	
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0.025* mg/m³ *as respirable fraction	
EL (Canada)	Long-term value: 0.025 mg/m³ ACGIH A2; IARC 1	
EV (Canada)	Long-term value: 0.10* mg/m³ *respirable fraction	
LMPE (Mexico)	Long-term value: 0.025* mg/m³ A2, *fracción respirable	
8052-42-4 Asph	alt	
REL (USA)	Ceiling limit value: 5* mg/m³ *15-min; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0.5* mg/m³ *inh. fraction; as benzene-soluble aerosol; BEIp	
EL (Canada)	Long-term value: 0.5 mg/m³ inhalable, IARC 2B	
EV (Canada)	Long-term value: 0.5 mg/m³ fume, as benzene-soluble aerosol, inhalable	

Revision: 07/11/2016

(Cont'd. of page 2)

# Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 07/11/2016

Revision: 07/11/2016

Trade name: Flintlastic® FR Cap 30 T
Flintlastic® FR Cap 30 T Coolstar

		(Cont'd. of page 3)
LMPE (Mexico)	Long-term value: 0.5* mg/m <sup>3</sup>	
	A4, İBEp;*fracción inhalable	
	minium hydroxide	
REL (USA)	Long-term value: 2 mg/m <sup>3</sup> as Al	
TLV (USA)	Long-term value: 1* mg/m <sup>3</sup> as Al;*as respirable fraction	
EL (Canada)	Long-term value: 10 mg/m <sup>3</sup>	
· Ingredients wit	h biological limit values:	
8052-42-4 Asph	nalt	
Time	lium: urine e: end of shift at end of workweek ameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)	
The usual preca Keep away from Wash hands be Avoid close or lo Avoid contact w • Engineering co • Breathing equi Not required und Use respiratory • Protection of h	ontrols: No relevant information available. pment: der normal conditions of use. protection when grinding or cutting material.	
	rial has to be impermeable and resistant to the product/ the substance	/ the preparation.
Safety g	glasses	
Avoid release to	<b>n:</b> Protective work clothing <b>d supervision of exposure into the environment</b> the environment. <b>ment measures</b> See Section 7 for additional information.	

(Cont'd. on page 5)

### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 07/11/2016

Trade name: Flintlastic® FR Cap 30 T Flintlastic® FR Cap 30 T Coolstar

9 Physical and chemical properties Information on basic physical and chemical properties • Appearance: Form: Solid material Color: Black · Odor: Petroleum-like · Odor threshold: Not determined. · pH-value: Not applicable. Not determined. · Melting point/Melting range: · Boiling point/Boiling range: Not determined. · Flash point: Not applicable. · Flammability (solid, gaseous): Not determined. · Auto-ignition temperature: Not determined. • Decomposition temperature: Not determined. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits Lower: Not determined. Upper: Not determined. • Oxidizing properties: Not determined. · Vapor pressure: Not determined. · Density: **Relative density:** Not determined. Vapor density: Not applicable. **Evaporation rate:** Not applicable. · Solubility in / Miscibility with Water: Insoluble. · Partition coefficient (n-octanol/water): Not determined. · Viscosity **Dynamic:** Not applicable. Kinematic: Not applicable. Other information No relevant information available.

### 10 Stability and reactivity

• **Reactivity:** No relevant information available.

• Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

(Cont'd. on page 6)

Revision: 07/11/2016

(Cont'd. of page 4)

### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 07/11/2016

Trade name: Flintlastic® FR Cap 30 T Flintlastic® FR Cap 30 T Coolstar

(Cont'd. of page 5)

1

2B

Κ

Revision: 07/11/2016

### • Possibility of hazardous reactions:

Reacts with strong oxidizing agents.

Reacts with strong acids and alkali.

Conditions to avoid: Store away from oxidizing agents.

· Incompatible materials: Oxidizers, strong bases, strong acids

• Hazardous decomposition products: Carbon monoxide and carbon dioxide

### **11** Toxicological information

<sup>·</sup> Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification: None.

· Primary irritant effect:

- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.

### · IARC (International Agency for Research on Cancer):

14808-60-7 quartz

8052-42-4 Asphalt

### • NTP (National Toxicology Program):

14808-60-7 quartz

### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure: Skin contact.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity:

Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is nonclassifiable as a carcinogen.

• Reproductive toxicity: Based on available data, the classification criteria are not met.

- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.

• Aspiration hazard: Based on available data, the classification criteria are not met.

### **12 Ecological information**

<sup>·</sup> Toxicity

· Aquatic toxicity No relevant information available.

- Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.

· Additional ecological information

· General notes: Avoid release to the environment.

(Cont'd. on page 7)

### acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 07/11/2016

Revision: 07/11/2016

Trade name: Flintlastic® FR Cap 30 T Flintlastic® FR Cap 30 T Coolstar

(Cont'd. of page 6)

### · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects: No relevant information available.

### **13 Disposal considerations**

### <sup>·</sup> Waste treatment methods

#### · Recommendation:

Smaller quantities can be disposed of with household waste.

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

### <sup>·</sup> Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADR, IMDG, IATA	Not regulated.	
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADR, IMDG, IATA Class	Not regulated.	
Packing group DOT, ADR, IMDG, IATA	Not regulated.	
Environmental hazards Marine pollutant:	No	
Special precautions for user	Not applicable.	
Marine pollutant: Special precautions for user Transport in bulk according to Anney MARPOL73/78 and the IBC Code	Not applicable.	

(Cont'd. on page 8)

# Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 07/11/2016

Revision: 07/11/2016

Trade name: Flintlastic® FR Cap 30 T Flintlastic® FR Cap 30 T Coolstar

(Cont'd. of page 7)

<ul> <li>Safety, he mixture</li> <li>United State</li> <li>SARA</li> </ul>	ealth and environmental regulations/legislation specific for the substance o tes (USA)
· Section 30	2 (extremely hazardous substances):
None of the	ingredients are listed.
· Section 35	5 (extremely hazardous substances):
None of the	ingredients are listed.
· Section 31	3 (Specific toxic chemical listings):
None of the	ingredients are listed.
· TSCA (Tox	ic Substances Control Act)
•	dients listed.
· Propositio	n 65 (California)
· Chemicals	known to cause cancer:
14808-60-7	quartz
8052-42-4	Asphalt
· Chemicals	known to cause reproductive toxicity for females:
None of the	ingredients are listed.
· Chemicals	known to cause reproductive toxicity for males:
None of the	ingredients are listed.
· Chemicals	known to cause developmental toxicity:
None of the	ingredients are listed.
· Carcinoge	nic categories
· EPA (Envir	onmental Protection Agency):
None of the	ingredients are listed.
References	national Agency for Research on Cancer): to chemical components listed below are based on unbound respirable particles and are n oplicable to product as supplied.
14808-60-7	quartz 1
8052-42-4	Asphalt 2E
· NIOSH-Ca	(National Institute for Occupational Safety and Health):
14808-60-7	
8052-42-4	Asphalt

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 07/11/2016

Revision: 07/11/2016

### Trade name: Flintlastic® FR Cap 30 T Flintlastic® FR Cap 30 T Coolstar

(Cont'd. of page 8)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

	used on our present knowledge. However, this shall not constitute a guarantee for any res and shall not establish a legally valid contractual relationship.
Date of preparation	/ last revision 07/11/2016 / -
IMDG: International Maritin DOT: US Department of T IATA: International Air Tra CAS: Chemical Abstracts LC50: Lethal concentration LD50: Lethal dose, 50 per PBT: Persistent, Bioaccun vPvB: very Persistent and NIOSH: National Institute OSHA: Occupational Safe LDLo: Lowest Lethal Dose Carc. 1A: Carcinogenicity – STOT RE 1: Specific targe <b>Sources</b> Website, European C Website, US EPA S overview/home.do) Website, Chemical A Patty's Industrial Hyg Casarett and Doull's 978-0-07-176923-5.	nt concerning the International Carriage of Dangerous Goods by Road me Code for Dangerous Goods ransportation nsport Association Service (division of the American Chemical Society) n, 50 percent cent nulative and Toxic very Bioaccumulative for Occupational Safety ty & Health Observed – Category 1A
SDS Prepared by: ChemTel Inc. 1305 North Florida A Tampa, Florida USA Toll Free North Amer Website: www.chemt	33602-2902 ica 1-888-255-3924 Intl. +01 813-248-0573